AFTER SEDATION INSTRUCTIONS



- Patient cannot drive for 24 hours after sedation
- 2. Do not operate any hazardous devices for 24 hours.
- 3. A responsible person should be with the patient until he/she has fully recovered from the effects of the sedation.
- 4. Patient should not go up and down stairs unattended. Let the patient stay on the ground floor until recovered.
- 5. Having nutrition after sedation is important. The patient should begin eating appropriate food as soon as possible. Do not delay.
- 6. Patient needs to drink plenty of fluids as soon-as possible.
- 7. Patient may sleep for a long time or may be alert when he/she leaves. Attend to both alert or sleepy patient in the same manner; don't trust him/her alone.
- 8. Always hold patient's arm when walking.
- Call us if you have any questions or difficulties.
 If you feel that your symptoms warrant a physician and you are unable to reach us, go to the closest emergency room immediately.
- 10. Patient should not carry, sleep next to or be left alone with the elderly or young children for a period of no less than 24 hours after the last dosage of Medication.

The best medication for the patient's pain has been included with your take-home recovery kit.

Please have the patient take 800mg Advil (4 pills) 3 times a day for 3-5 days unless restricted by your physician.

If the doctor was concerned about additional post-operative pain or infection, a prescription for another medication has been included.

Raymond Dental Group Office: 330.825.4446

Dr. Kate's home number 330.760.0654

Dr. Steve's home number 440.773.0037

Dr. Nate's home number 813.679.6770

COMPANION'S SIGNATURE:

DATE:



Copyright NPPLLC 2003, All Rights Reserved

Your Comfort. Your Smile.

Our Priority.